

Kootenai River Habitat Restoration Project Master Plan



Citations

Kootenai Tribe of Idaho
July 2009

Citations

Ahrens, R. and J. Korman. 2002. What happened to the West Arm burbot stock in Kootenay Lake? Use of an age-structured population model to determine the possible causes of recruitment failure. Report prepared for the B.C. Ministry of Water, Land, and Air Protection, the Habitat Conservation Trust Fund, and the Bonneville Power Administration. 29pp.

Alden, W. C. 1953. Physiography and glacial geology of western Montana and adjacent areas. U.S. Geological Survey, Professional Paper 231, Helena, Montana.

Allan, J.H. 1980. Life history notes on the Dolly Varden char (*Salvelinus malma*) in the upper Clearwater River, Alberta. Alberta Energy and Natural Resources, Fish and Wildlife Division, Red Deer, Alberta, Canada.

Allendorf, F.W., D.M. Esperlund, and D.T. Scow. 1980. Coexistence of native and introduced rainbow trout in the Kootenai River Drainage. *Proceedings of the Montana Academy of Sciences* 39:28-36.

Anders, P. J. 1991. White sturgeon (*Acipenser transmontanus*) movement patterns and habitat use in the Kootenai River system, Idaho, Montana, and British Columbia. MS Thesis, Eastern Washington University. 153 pp.

Anders, P.J. 1993. Kootenai River white sturgeon studies. Kootenai Tribe of Idaho. Job Completion Report. Project Number 88-64.

Anders, P.J., D.L. Richards, M.S. Powell. 2002. The First Endangered White Sturgeon Population (*Acipenser transmontanus*): Repercussions in an Altered Large River-floodplain Ecosystem. Pages 67-82 In: W. Van Winkle, P. Anders, D. Dixon, and D. Secor, eds. *Biology, Management and Protection of North American Sturgeons*. American Fisheries Society Symposium 28.

Andersson, K.A. 1942. *Fiskar och fiske i Norden*. Stockholm II: 541-1016.

Andrusak, H. 1980. Kootenay River white sturgeon. British Columbia Ministry of Environment. Nelson.

Andrusak, H. 2003. Response of North Arm of Kootenay Lake Kokanee in 2002 to Experimental Fertilization Redfish Consulting, Ltd Contract Report for the Columbia Basin Fish and Wildlife Compensation Program Nelson, B.C.

Andrusak, H., P. Slaney, and L. Fleck. 2004. Status of Kokanee in the South Arm of Kootenay Lake and Assessment of Select Tributary Streams with Restoration Potential for Spawning Kokanee and Rainbow Trout. Redfish Consulting, Ltd. Contract Report for the Kootenai Tribe of Idaho, Bonners Ferry, ID.

Arndt, S.K.A., and J. Hutchinson. 2000. Characteristics of burbot spawning in a tributary to Columbia Lake, British Columbia, over a four-year period. Pages 48-60. In: V. L. Paragamian and D.

W. Willis, editors. Burbot: biology, ecology, and management. American Fisheries Society, Fisheries Management Section, Publication Number 1, Bethesda, Maryland.

Ashley K. and L. Thompson. 1993. Kootenay Lake fertilization experiment, year one (1992/1993) report. Fisheries Branch, Ministry of Environment, Lands and Parks, University of British Columbia. Fisheries Project Report No. RD 32. 52 pp.

Barton, G. J. 2003. Sediment history of white sturgeon spawning habitat substrate, Kootenai River, Idaho. U.S. Geological Survey. Power Point Presentation. 48pp.

Barton, G.J. 2004. Characterization of channel substrate, and changes in suspended-sediment transport and channel geometry in White Sturgeon spawning habitat in the Kootenai River near Bonners Ferry, Idaho, following the closure of Libby Dam. Water Resources Investigations Report 03-4324, U.S. Geological Survey.

Barton, G. J., E. H. Moran, and C. Berenbrock. 2004. Surveying cross sections of the Kootenai River between Libby Dam, Montana and Kootenay Lake, British Columbia, Canada. Open File Report 2004-1045 USGS, Boise, ID. 33 pp.

Barton, G.J. McDonald, R.R. Nelson, J.M. and Dinehart, R.L. 2005, Simulation of flow and sediment mobility using a multidimensional flow model for the white sturgeon critical-habitat reach, Kootenai River near Bonners Ferry, Idaho: U.S. Geological Survey Scientific Investigations Report 2005-5230, 54 p.

Baxter, J., C. Spence, and M. Neufeld. 2002. Kootenay Lake Burbot Studies Progress 2000-2001. B.C. Ministry of Water, Land, and Air Protection report for Habitat Conservation Trust Fund and the Bonneville Power Administration.

Bayley, P. B. 1995. Understanding Large River-Floodplain Ecosystems. *Bioscience* 45 (3):153-158.

Beamesderfer, R. C. P., and R. A. Farr. 1997. Alternatives for the management and protection of sturgeons and their habitat. *Environmental Biology of Fishes* 48: 407-417.

Behnke, R. J. 1992. Native Trout of Western North America. American Fisheries Society Monograph #6. 261 pp.

Behnke, R.J. 1996. Conservation assessment for inland cutthroat trout: distribution, status, and habitat management implications. U.S.D.A. Forest Service, Intermountain Region, Ogden, Utah.

Benjankar, R. 2009. Development of a dynamic floodplain vegetation model for the Kootenai River, USA: concept and methodology. In: *Science and Information Technologies for Sustainable Management of Aquatic Ecosystems*, Concepcion, Chile.

Berenbrock, C. 2005. Simulation of hydraulic characteristics in the white sturgeon spawning habitat of the Kootenai River near Bonners Ferry, Idaho. U.S. Geological Survey Scientific Investigations Report 2005-3110.

Bjorn, E.E. 1940. Preliminary observations and experimental study of the ling, *Lota maculosa* (LeSueur) in Wyoming. *Transactions of the American Fisheries Society* 69:192-196.

Boag, T.D. 1989. Growth and fecundity of burbot, *Lota lota* L., in two Alberta lakes. Master's Thesis, University of Alberta, Edmonton.

Bonde, T. H. and R. M. Bush. 1975. Kootenai River water quality investigations, Libby Dam preimpoundment study 1967 - 1972. U.S. Army Corps of Engineers; Washington, D.C.

Boreman, J. 1997. Sensitivity of North American sturgeon and paddlefish populations to fishing mortality. *Environmental Biology of Fishes* 48:399-405.

Brannon, E., S. Brewer, A. Setter, M. Miller, F. Utter, and W. Hersberger. 1985. Columbia River (*Acipenser transmontanus*) early life history and genetics study. Prepared for US Department of Energy, Bonneville Power Administration. Contract No. DE-AI-84BP18952. Portland, OR.

Breeser, S.W., F.D. Stearns, M.W. Smith, R.L. West, and J.B. Reynolds. 1988. Observations of movements and habitat preferences of burbot in an Alaskan glacial river system. *Transactions of the American Fisheries Society* 117:506-509.

Burke et al. 2008. In-Press. Application of a hierarchical framework for assessing environmental impacts of dam operation: Changes in streamflow, bed mobility and recruitment of riparian trees in a western North American river. *Journal of Environmental Management*.

Burke, M. P. 2006. Linking hydropower operation to modified fluvial processes downstream of Libby Dam, Kootenai River, USA and Canada. Unpublished Masters thesis, University of Idaho, Moscow, ID.

Burke, M., K. Jorde, J.M. Buffington, J.H. Braatne, and R. Benjaker. 2006. Spatial distribution of impacts to channel bed mobility due to flow regulation, Kootenai River, USA In: *Proceedings of the Eighth Federal Interagency Sedimentation Conference; 2006 April 2-6; Reno, NV.* [Place of publication unknown]: [U.S. Subcommittee on Sedimentation]. 9 p.

Chapman, D. W. and B. May. 1986. Downstream movement of rainbow trout past Kootenai Falls, Montana. *North American Journal of Fisheries Management* 6:47-51.

Chen, L. 1969. The biology and taxonomy of the burbot, *Lota lota* leptura, in interior Alaska. Bio. Paper of the University of Alaska. The Allen Press.

Clemens, H.P. 1951b. The growth of the burbot, *Lota lota*, maculosa, (lesueur) in Lake Erie. *Transactions of the American Fisheries Society* 80: 163-173.

Coutant, C.C. 2004. A riparian hypothesis for successful reproduction of white sturgeon. *Reviews in Fisheries Science* 12:23-73.

Daley, R. J., E.C. Karmach, C.B.J. Gray, C.H. Pharo, S. Jasper, and R. C. Wiegand. 1981. The effects of upstream impoundments on the limnology of Kootenay Lake, B.C. Scientific Service No. 117. National Water Research Institute, Inland Waters Directorate. Vancouver, British Columbia. 96 pp.

Doughty, P.T, and R.A. Price. 2000. Geology of the Purcell Trench rift valley and Sandpoint Conglomerate: Eocene en echelon normal faulting and synrift sedimentation along the eastern flank of the Priest River metamorphic complex, northern Idaho. *GSA Bulletin*. p. 1356-1374

Downs, C. C. 2000. Kootenai River fisheries investigations: Rainbow trout recruitment. 1998 Annual report to Bonneville Power Administration. Project 88-65. Idaho Department of Fish and Game, Boise, ID.

Duke, S., P. Anders, G. Ennis, R. Hallock, J. Hammond, S. Ireland, J. Laufle, L. Lockard, B. Marotz, V. Paragamian, and R. Westerhof. 1999. Recovery plan for Kootenai River white sturgeon (*Acipenser transmontanus*). *Journal of Applied Ichthyology* (15):157-163.

Egger, G., A. Exner, J. Hassler, and S. Aigner. 2007. Riparian vegetation of the lower Kootenai River: Operational Loss Assessment of the Lower Kootenai Floodplain. Report to the Kootenai Tribe of Idaho Fish and Wildlife Department, November, 2007.

Evenson, M.J. 2000. Reproductive traits of burbot in the Tanana River, Alaska. Pages 61-70, In: V. L. Paragamian and D. W. Willis, editors. *Burbot: biology, ecology, and management*. American Fisheries Society, Fisheries Management Section, Publication Number 1, Bethesda, Maryland.

Fausch, K.D. 1989. Do gradient and temperature affect distribution of, and interactions between, brook char (*Salvelinus fontinalis*) and other resident salmonids in streams? *Physiological Ecology (Special Volume)* 1:303-322.

Fraley, J.J. and B.B. Shepard. 1989. Life history, ecology, and population status of migratory bull trout (*Salvelinus confluentus*) in the Flathead Lake and River system, Montana. *Northwest Science* 63(4): 133-143.

Frissell, C.A., W.J. Liss, D. Bayles. 1993. An integrated, biophysical strategy for ecological restoration of large watersheds. In: Spangenberg NE, Potts DE (Eds), *Changing Roles in Water Resources Management and Policy*. American Water Resources Association: Bethesda, Maryland 449-456.

General Land Office survey notes. 1934.

Georgi, A. 1993. The status of Kootenai River white sturgeon. Report prepared for the Pacific Northwest Utilities Conference Committee. September 1993. 58 pp. plus appendices.

Goetz, F. 1991. Bull trout life history and habitat study. Oregon State University, Corvallis, OR. Masters Thesis. 49 p.

Griffith, J.S. 1988. Review of competition between cutthroat trout and other salmonids. *American Fisheries Society Symposium* 4. 4:134-140.

Guinn, D. A., and J. E. Hallberg. 1990. Precision of estimated ages of burbot using vertebrae and otoliths. Alaska Department of Fish and Game, Fishery Data Series No. 90-17, Juneau, AK.

Halbert, C. L. 1993. How adaptive is adaptive management? Implementing adaptive management in Washington State and British Columbia. *Reviews in Fisheries Science* 1:261-283.

Hammond, R. J., and P. J. Anders. 2003. Population Biology and Population Genetics Reviews of Kootenai Basin Burbot Upstream from Bonnington Falls, British Columbia. Draft Report prepared for the U.S. Department of Energy, Bonneville Power Administration Division of Fish and Wildlife, Portland, OR. 97208. Contract No. 00012146.

- Hansen, P. L., R. D. Pfister, K. Boggs, B. J. Cook, J. Joy, and D. K. Hinckley. 1995. Classification and management of Montana's riparian and wetland sites. Montana Forest and Conservation Experiment Station, Montana School of Forestry, University of
- Hatfield, C.T. et al. 1972. Fish resources of the Mackenzie River valley, Vol. I. Dept. of the Env.
- Heimer, J.T. 1965. A supplemental Dolly Varden spawning area. M.S. thesis. University of Idaho. Moscow.
- Hensler, M.E. and C.C. Muhlfeld. 1999. Spawning ecology of redband trout in Basin Creek, Montana. A Report to the Whirling Disease Foundation. Montana Fish, Wildlife and Parks, Bozeman, MT.
- Hensler, M.E., J.E. Huston and G. K. Sage. 1996. A Genetic Survey of Lakes in the Cabinet Wilderness Area and Proposed Inland Rainbow Trout Recovery. Montana Fish Wildlife and Parks, Kalispell, MT.
- Hensler, M.E., J.E. Huston and G. K. Sage. 1996. A Genetic Survey of Lakes in the Cabinet Wilderness Area and Proposed Inland Rainbow Trout Recovery. Montana Fish Wildlife and Parks, Kalispell, MT.
- Hilborn, R. 1992. Can fisheries agencies learn from experience. Fisheries 17:6-14.
- Hoffman, G., D. Skaar, S. Dalbey, J. DeShazer, L. Garrow, T. Ostrowski, J. Dunnigan, and B. Marotz. 2002. Instream Flow Incremental Methodology Kootenai River, Montana Fish, Wildlife & Parks. Libby, MT.
- Holling, C. S. 1978. Adaptive environmental assessment and management. John Wiley and Sons, New York, New York, USA.
- Holnbeck, S.R., and S.M. Lawlor. 2008. Observations on the sediment dynamics of selected tributaries to the Kootenai River, Montana, Spring 2008 [abs.]: in Water Sustainability: Challenges for Montana, Proceedings of the Montana Section of the American Water Resources Association 25th Annual Conference, October 2-3, 2008, Big Sky, MT, p.23-24
- Huston, J. E. 1995. A report on the Kootenai River drainage native species search for the U.S. Fish and Wildlife Service. Montana Fish, Wildlife, and Parks, Kalispell.
- IPNF (Idaho Panhandle National Forest). 1991. West Moyie Final Environmental Impact Statement, Idaho Panhandle National Forest. Coeur d'Alene, ID.
- Jamieson, B., and J. Braatne. 2001. The impact of flow regulation on cottonwood forests along the Kootenai River in Idaho, Montana and British Columbia. By: BioQuest International Consulting Ltd. For: Bonneville Power Corporation, Portland, Or. Available at <http://www.efw.bpa.gov/cgi-bin/FW/publications.cgi>
- Johnson, T. 1981. Biotope changes and life cycle of *Lota lota* in the Bothnian Sea and a coastal river. Oesterriechische Fischereiverband 34: 6-9.

- Junk, W. J., P. B. Bayley, and R. E. Sparks. 1989. The flood pulse concept in river-floodplain systems. Special Publication, Canadian Journal of Fisheries and Aquatic Sciences 106: 110-127.
- Kincaid, H. 1993. Breeding plan to preserve the genetic variability of the Kootenai River white sturgeon. U. S. Fish and Wildlife Service report (Project 93-27) to Bonneville Power Administration. Portland, OR.
- Knudson, K. 1994. Water quality status report: Kootenay (Kootenai) River Basin British Columbia, Montana and Idaho.
- Knudsen, K. L., C. C. Muhlfeld, G. K. Sage, and R. F. Leary. 2002. Genetic structure of Columbia River redband trout populations in the Kootenai River drainage, Montana, revealed by microsatellite and allozyme loci. Transactions of the American Fisheries Society 131:1093-1105.
- Kock, T. J., J. Congleton, and P. J. Anders. 2006. Effects of Sediment Cover on Survival and Development of White Sturgeon Embryos. North American Journal of Fisheries Management 26:134-141.
- Kondolf, G. M., A. J. Boulton, S. O'Daniel, G. C. Poole, F. J. Rahel, E. H. Stanley, E. Wohl, A. Bång, J. Carlstrom, C. Cristoni, H. Huber, S. Koljonen, P. Louhi, and K. Nakamura. 2006. Process-based ecological river restoration: visualizing three-dimensional connectivity and dynamic vectors to recover lost linkages. Ecology and Society 11(2): 5. [online] URL: <http://www.ecologyandsociety.org/vol11/iss2/art5/>
- Kouril, J., O. Linhart, K. Dubsy, and P. Kavasnicka. 1985. The fertility of female and male burbot (Lota lota L.) reproduced by stripping. Papers of the Vodnany Research Institute of Fishery and Hydrobiology 14: 75-79.
- Kozfkay, J.R, and V.L. Paragamian. 2001. Kootenai River fisheries inventory: stock status of burbot. Idaho Department of Fish and Game. Bonneville Power Administration, Annual Progress Report, Project 88-65, Boise, Idaho.
- KTOI (Kootenai Tribe of Idaho). 2004. Kootenai River Valley Wetlands and Riparian Conservation Strategy. Prepared by the Kootenai Tribe of Idaho in Cooperation with the Kootenai Valley Resource Initiative.
- KTOI (Kootenai Tribe of Idaho) 2005. Anders, P., R. Beamesderfer, M. Neufeld and S. Ireland (eds). Kootenai River White Sturgeon recovery implementation plan and schedule (2005-2010). Prepared by S. P. Cramer and Associates for the Kootenai Tribe of Idaho, with assistance from the Kootenai River White Sturgeon Recovery Team . 50 p.
- KTOI (Kootenai Tribe of Idaho). 2009. Kootenai River Native Fish Conservation and Aquaculture Master Plan KTOI 2009.
- KTOI and MFWP (Kootenai Tribe of Idaho and Montana Fish, Wildlife & Parks). 2004. Kootenai Subbasin Plan. Part I: Kootenai River Subbasin Assessment. Prepared for the Northwest Power and Conservation Council. Portland, OR.

KVRI Burbot Committee. 2005. Kootenai River/Kootenay Lake Burbot Conservation Strategy. Prepared by Kootenai Tribe of Idaho in cooperation with the KVRI Burbot Committee. Bonners Ferry, ID.

Kynard, B. 1997. Life history, latitudinal patterns, and status of shortnose sturgeon, *Acipenser brevirostrum*. *Environmental Biology of Fishes* 48:319-334.

Langbein, W.B., and L.B. Leopold. 1966. River meanders - theory of minimum variance, *Geol. Surv. Prof. Papers*, United States Printing Office, Washington, Report No: 422-H, 1-15.

Lawler, G.H. 1963. The biology and taxonomy of the burbot, *Lota lota*, in Heming Lake Manitoba. *Journal of the Fisheries Research Board of Canada* 29: 417-433.

Leary R. 1997. University of Montana report to Doug Perkinson, Kootenai National Forest, April 17, 1997.

Leary, R.F., F.W. Allendorf, and K. G. Sage. 1991. Genetic analysis of trout populations in the Yaak River Drainage, Montana. *Wild trout and salmon genetics laboratory report 91/3*. University of Montana, Missoula.

Leary, R.F., T. Dotson, D. Genter, B. Hill, G. Holton, J. Huston, K.L. Knudsen, S. Rumsey, and G.K. Sage 1990. Westslope cutthroat trout restoration program: past and present distribution, brood stock program, and conservation genetics committee report. 14 p.

Lewandowski. 2004. Internal document concerning Kootenai River white sturgeon fertilized egg incubation.

Liknes, G.A. and P.J. Graham. 1988. Westslope cutthroat trout in Montana: life history, status, and management. *American Fisheries Society Symposium*. 4:53-60.

Marotz, B., B. Hansen, and S. Tralles. 1988. Instream flows needed for successful migration, spawning, and rearing of rainbow and westslope cutthroat trout in selected tributaries of the Kootenai River. Final report. Montana Department of Fish, Wildlife, and Parks, Kalispell, MT.

Marotz, B.L., S.R. Dalbey, C. Muhlfeld, S. Snelson, G. Hoffman, J. DosSantos and S. Ireland. 1998. Fisheries mitigation and implementation plan for losses attributable to the construction and operation of Libby Dam. Montana Fish, Wildlife and Parks, Kalispell, MT., Confederated Salish and Kootenai Tribes, Pablo, Montana, and Kootenai Tribe of Idaho, Bonners Ferry, ID.

Marotz, B. and nine other authors. 2000. Kootenai River Subbasin Summary. Prepared for Northwest Power Planning Council, Portland, OR.

Martin, A.D. 1976. Kootenay Lake burbot fishery. Unpublished report. British Columbia Fish and Wildlife, Nelson.

MBTSG (Montana Bull Trout Scientific Group). 1996. Assessment of methods for removal or suppression of introduced fish to aid in bull trout recovery. Prepared for the Montana Bull Trout Restoration Team. Montana Department of Fish, Wildlife and Parks, Helena, MT.

MBTSG (Montana Bull Trout Scientific Group). 1996b. Lower Kootenai River drainage bull trout status report. Prepared for the Montana Bull Trout Restoration Team. Montana Department of Fish, Wildlife and Parks, Helena, MT.

MBTSG (Montana Bull Trout Scientific Group). 1996c. Upper Kootenai River drainage bull trout status report. Prepared for the Montana Bull Trout Restoration Team. Montana Department of Fish, Wildlife and Parks, Helena, MT.

McCart, P. 1967. Behavior and ecology of sockeye salmon fry in the Babine River. *J. Fish. Res. Board Can.* 24:375-428.

McCrimmon, H. R. 1959. Observations of burbot spawning in Lake Simcoe, Ontario. *Journal of Wildlife Management* 23:447-449.

McCrimmon, H.R. and D.E. Devitt. 1954. Winter studies on the burbot, *Lota lota lacustris*, of Lake Simcoe, Ontario. *Canadian Fish-Culturist* 16: 34-41.

McDonald, J. and J.M. Hume 1984. Babine Lake sockeye salmon (*Oncorhynchus nerka*) enhancement program: testing some major assumptions. *Can. J. Fish Aquat. Sci.* 41: 70-92.

McIntyre J.D. and B.E. Rieman. 1995. Westslope cutthroat trout. In *Conservation Assessment for Inland Cutthroat Trout*. General Tech. Report RM-GTR-256. USDA Forest Service. February 1995.

McPhail, J.D. and R. Carveth 1992. A Foundation for Conservation: the nature and origin of the freshwater fish fauna of British Columbia. Rept. To the Habitat Conservation Fund, Ministry of Environment, Lands and Parks, Victoria, B.C. 39 p.

McPhail, J.D. and R. Carveth 1992. A Foundation for Conservation: the nature and origin of the freshwater fish fauna of British Columbia. Rept. To the Habitat Conservation Fund, Ministry of Environment, Lands and Parks, Victoria, B.C. 39 p.

McPhail, J. D. and J. S. Baxter. 1996. A review of bull trout (*Salvelinus confluentus*) lifehistory and habitat use in relation to compensation and improvement opportunities. Fisheries management report, ISSN 0705-5390 ; no. 104. Issued by Fisheries Branch. British Columbia Ministry of Environment, Lands and Parks.

McPhail, J.D. and V.L. Paragamian. 2000. Burbot biology and life history. Pages 11-23, In: V.L. Paragamian and D.W. Willis, editors, *Burbot Biology, Ecology, and Management*. Publication Number 1, Fisheries Management Section of the American Fisheries Society, Spokane, Washington, USA.

Meshkov, M.M. 1967. Developmental stages of the burbot (*Lota lota* (L.)). *Voprosy Ikhtiologii i Gidrobiologii Vodmenov* 62: 181-194. (in Russian, English translation in *Zoology Reprint Library*, University of Toronto).

Miller, A.I. and L.G. Beckman. 1996. First record of predation on white sturgeon eggs by sympatric fishes. *Trans. Am. Fish. Soc.* 125(2):338-340.

MTAFS (Montana Chapter of the American Fisheries Society). 2008. Westslope cutthroat trout profile. <http://www.fisheries.org/units/AFSmontana/Westslope.html>.

Muhlfeld, C.C. 1999. Seasonal habitat use by redband trout (*Oncorhynchus mykiss gairdneri*) in the Kootenai River drainage, Montana. Master's thesis. University of Idaho, Moscow, ID.

Muhlfeld, C. C., D. H. Bennett, and B. Marotz. 2001a. Summer habitat use by Columbia River redband trout in the Kootenai River drainage, Montana. *North American Journal of Fisheries Management* 21:223–235.

Muhlfeld, C. C., D. H. Bennett, and B. Marotz. 2001b. Fall and winter habitat use and movement by Columbia River redband trout in a small stream in Montana. *North American Journal of Fisheries Management* 21:170–177.

NatureServe. 2008. NatureServe Explorer: An online encyclopedia of life [web application]. Version 7.0. NatureServe, Arlington, Virginia. Available <http://www.natureserve.org/explorer>. (Accessed: October 31, 2008).

Nelichik, V.A. 1979. Morphometric features of the burbot, *Lota lota*, of the Upper Tuloma Reservoir. *Voprosy ikhtiologii*.

Northcote, T.G. 1973. Some Impacts of Man on Kootenay Lake and Its Salmonids. Great Lakes Fisheries Commission Tech. Rep. 25.

NPCC (Northwest Power and Conservation Council). 2009. Northwest Power and Conservation Council Columbia River Fish and Wildlife Program 2009 Amendments. Council Document 2009-2. Pre-publication copy February 10, 2009. <http://www.nwcouncil.org/library/2009/2009-02.pdf>

Oliver, G.G. 1979. A final report on the present fisheries of the Wigwam River with emphasis on the migratory life history and spawning behavior of Dolly Varden char *Salvelinus malma*. Fisheries investigations in tributaries of the Canadian portion of Libby Reservoir. Victoria, BC: British Columbia Fish and Wildlife branch. 27p.

Paragamian, V. 1995. Kootenai River fisheries investigation: Stock status of burbot and rainbow trout and fisheries inventory. Idaho Department of Fish and Game, Annual Progress Report, Bonneville Power Administration Project No. 88-65, Boise, ID.

Paragamian, V.L. 2000. The effects of variable flows on burbot spawning migrations in the Kootenai River, Idaho, USA, and British Columbia, Canada. Pages 111-123, In: V. L. Paragamian and D. W. Willis, editors. *Burbot: biology, ecology, and management*. American Fisheries Society, Fisheries Management Section, Publication Number 1, Bethesda, Maryland.

Paragamian, V. L., and G. Kruse. 2001. Kootenai River white sturgeon spawning migration behavior and a predictive model. *North American Journal of Fisheries Management* 21, 10-21.

Paragamian, V., and G. Hoyle. Kootenai River Fisheries Investigation: Stock Status of Burbot. Annual Progress Report April 2002 – March 31, 2003. Idaho Fish and Game Report No. 03-50, Boise.

Paragamian, V. L., and R. C. P. Beamesderfer. 2003. Growth estimates from tagged white sturgeon suggest that ages from fin rays underestimate true age in the Kootenai River, USA and Canada. *Transactions of the American Fisheries Society* 132:895–903.

Paragamian V.L., and J.P. Duehr. 2005. Variations in vertical location of Kootenai River White Sturgeon during the pre-spawn and spawning periods. *Transactions of the American Fisheries Society* 134(1): 261.

Paragamian, V.L., and V.D. Wakkinen. 2002. Temporal distribution of Kootenai River white sturgeon spawning events and the effect of flow and temperature. *J. Appl. Ichthyology*, 18(4-6):542-549.

Paragamian, V. L., G. Kruse, and V. Wakkinen. 2001. Spawning habitat of Kootenai River white sturgeon, post-Libby Dam. *North American Journal of Fisheries Management* 21:22-33.

Paragamian, V.L., V.D. Wakkinen, and G. Crews. 2002. Spawning locations and movement of Kootenai River white sturgeon. *Journal of Applied Ichthyology*, 18 Vol. 9 p.

Paragamian, V. L., R. C. P. Beamesderfer, and S. C. Ireland. 2005. Status, population dynamics, and future prospects of the endangered Kootenai River white sturgeon population with and without hatchery intervention. *Transactions of the American Fisheries Society* 134:518-532.

Paragamian, V.L., V. Whitman, J. Hammond, and H. Andrusak. 2000. Collapse of burbot fisheries in the Kootenai River, Idaho, USA, and Kootenay Lake, British Columbia, Canada. Pages 155-164 in V.L Paragamian and D.W. Willis, editors, *Burbot Biology, Ecology, and Management*. Publication Number 1, Fisheries Management Section of the American Fisheries Society, Spokane, Washington, USA.

Parsley, M.J., and L.G. Beckman. 1994. White sturgeon spawning and rearing habitat in the lower Columbia River. *North American Journal of Fisheries Management*. 14:812-827.

Parsley, M. J., L. G. Beckman, and G. T. McCabe, Jr. 1993. Spawning and rearing habitat use by white sturgeons in the Columbia River downstream from McNary Dam. *Transactions of the American Fisheries Society* 122(2):217-227.

Parsley, M. J., P. J. Anders. A. I. Miller, L. G. Beckman, and G. T McCabe Jr. 2002. Recovery of white sturgeon populations through natural production: Understanding the influence of abiotic and biotic factors on spawning and subsequent recruitment. Pages 55-66 In: W. VanWinkle, P. Anders, D. Dixon, and D. Secor, eds. *Biology, Management and Protection of North American Sturgeons*. American Fisheries Society Symposium 28.

Partridge, F. 1983. Subproject IV: River and stream investigations – Study VI: Kootenai River Fisheries Investigations. Period Covered: 1 March 1979 to 28 February 1983. May 1983. 93 pp. with appendices.

Percy, R. 1975. Fishes of the outer Mackenzie Delta. Environment Canada, Beaufort Sea Project, Technical Report No. 8, Winnipeg.

Perkinson, R.D. 1993. Presentation to the American Fisheries Society, Montana Chapter, 17 February, 1993.

Polzin, M.L. 1998. River and riparian dynamics and black cottonwoods in the Kootenay River Basin. Master's thesis. University of Lethbridge, Department of Biology, Lethbridge, AB.

- Polzin, M.L., and S. B. Rood. 2000. Effects of Damming and Flow Stabilization on Riparian Processes and Black Cottonwoods along the Kootenay River. *Rivers* 7:221-232.
- Pratt, K.L. 1984b. Habitat selection and species interactions of juvenile westslope cutthroat trout (*Salmo clarki lewisi*) and bull trout (*Salvelinus confluentus*) in the upper Flathead River basin. Masters Thesis University of Idaho. Moscow, ID.
- Pratt, K.L. 1985. Pend Oreille trout and char life history study. Idaho Department of Fish and Game, Boise, ID.
- Pratt, K.L. and J.E. Huston. 1993. Status of bull trout (*Salvelinus confluentus*) in Lake Pend Oreille and the lower Clark Fork River: DRAFT. Prepared for the Washington Water Power Company, Spokane WA.
- Preble, E.A. 1908. Fishes of the Athabasca-Mackenzie Region. US Biological Survey, North American Fauna 27:502-515.
- Pulliainen, E., and K. Korhonen. 1990. Seasonal changes in condition indices in adult mature and non-maturing burbot, *Lota lota* (L.), in northeastern Bothnian Bay, northern Finland. *Journal of Fish Biology* 36: 251-259.
- Pulliainen, E., K. Korhonen, L. Kankaanranta, and K. Maeki. 1992. Non-spawning burbot on the northern coast of the Bothnian Bay. *Ambio* 211: 170-175.
- PWI (Pacific Watershed Institute and Resources). 1999. Kootenai River watershed assessment report. Prepared for the Kootenai Tribe of Idaho. Bonners Ferry, ID.
- Richards, D. 1997. Kootenai River biological baseline status report. Kootenai Tribe of Idaho. Bonners Ferry, Idaho.
- Rieman, B. E., and R. C. Beamesderfer. 1990. White sturgeon in the Lower Columbia River: Is the stock overexploited? *North American Journal of Fisheries Management* 10:388-396.
- Ringstad, N.R. 1976. Flathead River Fisheries Research 1976. Aquatico Environmental Consultants, Ltd. Ministry of Environment, Fish and Wildlife Branch. Cranbrook, B.C.
- Rocchini, R.J. 1981. Kootenay air and water quality study. Phase II. Water Quality in the Kootenai River Basin. B.C. Ministry of Environment. Victoria, B.C.
- Rodzen, J.A., T.R. Famula, and B.P. May. 2004. Estimation of parentage and relatedness in the polyploid white sturgeon (*Acipenser transmontanus*) using a dominant marker approach for duplicated microsatellite loci. *Aquaculture*. 232:165-182.
- Rosgen, D.L. 1994. A classification of natural rivers. *Catena* 169-199.
- Rosgen, D.L. 1996. Applied river morphology. Wildlife Hydrology, Pagosa Springs, CO.
- Sage, G. K. 1993. University of Montana report to Doug Perkinson, Kootenai National Forest, February 23, 1993.

- Sage, G. K. 1995. University of Montana report to Charles Lobdell, Fish and Wildlife Service, August 9, 1995.
- Sandlund, O.T., L. Klyve, and T.F. Naesje. 1985. Growth, habitat and food of the burbot, *Lota lota*, in Lake Mjoesa. *Fauna Blindern* 38: 37-43 (in Norwegian with English Summary).
- Schaffter, R.G. 1997. White sturgeon spawning migration and location of spawning habitat in the Sacramento River, California. *California Fish and Game* 83(1):120.
- SER (Society for Ecological Restoration). 2004. The SER International primer on ecological restoration. Society for Ecological Restoration Science and Policy Working Group, Version 2. October 2004.
- SER (Society for Ecological Restoration). 2005. Guidelines for developing and managing ecological restoration projects. 2nd Edition. December, 2005.
- Shepard, B.B., K.L. Pratt, and P.J. Graham. 1984. Life histories of westslope cutthroat and bull trout in the upper Flathead River Basin, Montana. Report to the Environmental Protection Agency Contract R008224-01-5. Montana Department of Fish, Wildlife and Parks. Helena, MT.
- Shepard, B.B., B.E. May, and W. Urie. 2003. Status of westslope cutthroat trout (*Oncorhynchus clarki lewisi*) in the United States: 2002. Montana Fish, Wildlife and Parks for the Westslope Cutthroat Trout Interagency Conservation Team, Helena, Montana.
- Shepard, B. B., B. E. May, and W. Urie. 2005. Status and conservation of westslope cutthroat trout within the Western United States. *North American Journal of Fisheries Management* 25:1426-1440.
- Sieracki, P. 2002. Notes on stream modifications and wetland diversions of the Kootenai River Valley, Boundary County, ID. Internal report to the Kootenai Tribe Fish and Wildlife Department by Paul Sieracki, November 22, 2002.
- Snyder, J.M. 2002. An assessment of dike vegetation on the northern Idaho reaches of the Kootenai River. M.S. Thesis. University of Idaho.
- Sorokin, V.N. 1971. The spawning and spawning grounds of the burbot, *Lota lota* (L.). *Journal of Ichthyology* 11: 907-916.
- Sparks, R. 1995. Value and need for ecological management of large river-floodplain ecosystems. *BioScience* 45(3):168-182.
- Spence, C. 1999. Kootenay Lake Burbot Studies Progress 1998-1999. B.C. Ministry of Water, Land, and Air Protection report for Habitat Conservation Trust Fund and the Bonneville Power Administration.
- Spence, C. R., and M. D. Neufeld. 2002. Radio studies of Duncan reservoir burbot. Report to Habitat Conservation Trust Fund and Bonneville Power Administration from the Ministry of Land, Water, and Air Protection, Nelson, B.C. iii + 36 pp.

- Stanford, J. A., J.V. Ward, W.J. Liss, C.A. Frissell, R.N. Williams, J.A. Lichatowich and C.C. Coutant. 1996. A general protocol for restoration of regulated rivers. *Regulated Rivers: Research and Management* 12:391-413.
- Tetra Tech. 2004. Kootenai River Geomorphic Assessment - Final Report. U.S. Army Corps of Engineers, Seattle District, Seattle, WA.
- Thorne, C.R., R.D. Hey, and M.D. Newson (Editors). 1997. *Applied Fluvial Geomorphology for River Engineering and Management*. J. Wiley & Sons, Chichester.
- Tolman, F.A. 1923. Kootenai Valley Reclamation Project – Seepage and Water Velocity Investigation. Soil Conservation Service.
- USACE (U.S. Army Corps of Engineers). 1948. Seattle District, Review Report on Columbia River and Tributaries, Appendix A, Columbia River Basin in Canada, 1948. Seattle, Wash., the Seattle District.
- USACE (U.S. Army Corps of Engineers). 1950. River Profile from Canada to 50 Miles Upstream.
- USACE (U.S. Army Corps of Engineers). 1956. Kootenai River and Tributaries – River Cross Sections and Topography Between International Boundary and Bonners Ferry.
- USACE (U.S. Army Corps of Engineers). 1971. Sedimentation Observation Plan (Design Memorandum 25). U.S. Army Corps of Engineers.
- USACE (U.S. Army Corps of Engineers). 1983. Kootenai Flats Erosion Study. From inactive files, Seattle District. Contains six plates.
- USACE (U.S. Army Corps of Engineers). 1984. Libby Dam Water Control Manual. U.S. Army Corps of Engineers.
- USDA (U.S. Department of Agriculture). 1987. Kootenai National Forest Forest Plan and Final Environmental Impact Statement. Kootenai National Forest. Libby, MT.
- USDA (U.S. Department of Agriculture). 2006. Field indicators of hydric soils: guide for identifying and delineating hydric soils, version 6. USDA Natural Resource Conservation Service in cooperation with the National Technical Committee on Hydric Soils. G.W. Hurt, and L.M. Vasilas eds.
- USEPA (U.S. Environmental Protection Agency). 2004. Kootenai River Valley Wetlands and Riparian Conservation Strategy. Kootenai Tribe of Idaho, Bonners Ferry, ID. 76 pp.
- USFWS (U.S. Fish and Wildlife Service). 1996. Critical Habitat Designation for the Kootenai River Population of the White Sturgeon: Interim rule. 71 FR 6383 6396. 14 p.
- USFWS (U.S. Fish & Wildlife Service). 1998. Klamath River and Columbia River bull trout population segments: status summary. U.S. Fish & Wildlife Service, Bull Trout Listing Team, Boise, ID.

- USFWS (U.S. Fish & Wildlife Service). 1999. Recovery Plan for the White Sturgeon (*Acipenser transmontanus*): Kootenai River Population. U.S. Fish and Wildlife Service, Portland, OR. 96 pp. plus appendices.
- USFWS. 2000. Biological Opinion on Operation of the Federal Columbia River Hydropower System. Section 8.1.f.
- USFWS (U.S. Fish & Wildlife Service). 2002. Chapter 4, Kootenai River Recovery Unit, Oregon. 89 p. In: U.S. Fish and Wildlife Service. Bull Trout (*Salvelinus confluentus*) Draft Recovery Plan. Portland, OR.
- USFWS. 2002a. Chapter 1, Introduction. In: Bull Trout (*Salvelinus confluentus*) Draft Recovery Plan. U.S. Fish and Wildlife Service, Portland, OR. 137 pps.
- USFWS. 2002b. Chapter 4, Kootenai River Recovery Unit, Oregon. 89 p. In: U.S. Fish and Wildlife Service. Bull Trout (*Salvelinus confluentus*) Draft Recovery Plan. Portland, OR.
- USFWS (U.S. Fish and Wildlife Service). 2006. Fish and Wildlife Service Biological Opinion regarding The Effects of Libby Dam Operations on the Kootenai River White Sturgeon, Bull Trout, and Kootenai Sturgeon Critical Habitat. 167 pp.
- USFWS (U.S. Fish and Wildlife Service). 2008. Critical Habitat Revised Designation for the Kootenai River Population of the White Sturgeon (*Acipenser transmontanus*): Final rule.
- USGS (U.S. Geological Survey). 1928. Plan of Kootenai River, Idaho, International Boundary to a Point 1 Mile Below the Moyie River. 9 sheets.
- USGS (U.S. Geological Survey). 1933. Kootenai River Cross Sections, Bonners Ferry, Idaho to Kootenai Lake, British Columbia. Boise, ID.
- USGS (U.S. Geological Survey). 1937. Cross Sections of the Kootenai River Basin Between Bonners Ferry and Porthill, Idaho.
- Walters, C. J. 1986. Adaptive management of renewable resources. McGraw Hill, New York, New York, USA.
- Walters, Carl, J. Korman, P. Anders, C. Holderman, and S. Ireland. 2005. Draft Kootenai River Adaptive Management Plan. Summary of a multi-agency adaptive management workshop conducted July 22-23, 2004. 11 p.
- Walters, J. P., and C. C. Downs. 2001. Kootenai River fisheries investigations: rainbow and bull trout recruitment. 1999 Annual report to Bonneville Power Administration. Project 1988-06500. Idaho Department of Fish and Game. Boise, ID.
- Weaver, T.M. and R.G. White. 1985. Coal Creek fisheries monitoring study No. III. Quarterly progress report. Bozeman, MT: USDA Forest Service, Montana State Cooperative Fisheries Research Unit. 94 p.

Wildland Hydrology. 2006. Bank Assessment for Non-point source Consequences of Sediment (BANCS) model. Included in A Stream Channel Stability Assessment Methodology. 7th Federal Interagency Sedimentation Conference. March 25-29, 2001. Reno, Nevada.

Wildland Hydrology. Wildland Hydrology Consultants. 2008. Kootenai River Conceptual Design. [online] URL: <http://www.kootenai.org/documents/WildlandHydrologyDesignConcept.pdf>

Woods, P.F. And C.M. Falter. 1982. Annual nutrient loadings, primary productivity, and trophic state of Lake Kootenai, Montana and British Columbia, 1972-80. Geological Survey Professional Paper 1283, United States Government Printing Office.

Zelch, K. 2003. Aggrading alluvial fans and their impact on fish passage in tributaries of the Kootenai River, Idaho and Montana. Unpublished Masters thesis, University of Idaho, Moscow, ID.